


Desktop 5

Product description - Art. 7016 / 7017





Product introduction

Desktop 5 Table Socket provides an orderly, simply and compact tabletop connection solution. It can convert the AC 100-240V 50-60HZ to 20V 1.5A to charge your mobile devices. This recessed outlet has 1 X AC power outlet & 1 X USB A+C charge & 3.28ft Power Cord & 2 x Cable Holes for your diverse power needs.

- Easy access to connectors
- Installed and use immediately
- Install cutout diameter:80mm/3.15inch
- Color option: black/white
- EU, DK, UK, power are available




Dimensions




Installation


1. Cut a diameter 80mm/3.15inch hole into the table's surface under the size and shape shown.




3. Insert the unit into table cutout and adjust the position.




5. If table thickness not standard 18mm/0.71inch or 25mm/0.98inch, use M3*10 screws to fix under the table.




7. When disassemble this product, engage the lower end of the ring with a flat blade screwdriver and screw the ring in reverse.




2. Press the bottom of cable cubby plate and put the required cable in the cable holes. Press again the top of cable cubby plate to lock the cable and plate.



4. Put the rubber ring on the locking ring, and screw the locking ring to 25mm/0.98inch or 18mm/0.71inch thickness locking it automatically.



6. If table thickness >40mm/1.57inch, make concave surface at the bottom of table.



Technical data

Product name	Desktop 5
Model number	7016/7017
Type	Tabletop socket
Material	ABS fireproofing plastic
Color	White/Black
Interface	Input: AC 100-240V 50/60Hz 1.5A Max
	Output:
	USB-A: 5V4A/9V3A/12V2.5A/20V1.5A(30W Max)
	USB-C: 5V3A/9V3A/12V2.5A/15V2A/20V1.5A(30W Max)
	USB-A +USB-C total 5V3A(15W Max)
Power Cord	1m/3.28ft
Working temperature	0 - 50 (no condensation)
Grounding	Standard Grounding
Rated Voltage / Current	100-240V/16A 50-60HZ
Panel Size	Dia 90mm/3.54inch
Cutout Size	Dia 80mm/3.15inch
Net Weight	0.38kg/0.84lb
Table Thickness	maximum 40mm/1.57inch
Certificate	CE/RoHS/CCC
Applications	office/conference room/lecture hall/hotels/hospital

Safety cautions

- Keep the product away from the reach of children.
 - Please read this manual carefully before your using.
 - Unauthorized personnel shall not open the unit as there are high-voltage components inside; Qualified personnel must perform all devices.
 - The maximum power of power supply is 3500W.
 - Keep dry, ventilated and keep away from humid, dust, and heat.
 - Check carefully the power voltage and frequency before installation.
 - Disconnect the power cord to turn off the power before cleaning the unit.
 - Clean with a dry cloth. Do not use any depurative for cleaning.
-



This symbol means that the product should not be disposed of in the trash, but kept separately from household waste. The product should be taken for recycling in accordance with local waste collection systems. Information about the solution in your municipality can be found at www.sortere.no. By keeping this product separate from ordinary household waste, you will help to prevent potential negative consequences for human health and the environment.

Contact

For questions or enquiries:

clickitproducts.com

support@click-it.no

+47 210 592 92

Org nr: 917 574 375

